




# Ceraplus 2 A 6699 .. A 6700 .. A 6701 ..

Ideal Standard

Produced from: Jan 2022

Thermostat with function desinfection with on/off S-connector with spout:



A6699 X=150 Y=125  
A6700 X=200 Y=140  
A6701 X=250 Y=154

Pos.	Description	Part-Number	Qty.	Pos.	Description	Part-Number	Qty.
1	Handle cpl. w. Logo ISI	<b>A 861 121 AA</b>	1 Set	13	On/off S-connector	<b>B 960 607 AT</b>	1 pcs
2	Stopring	<b>A 861 122 NU</b>	1 pcs	14	Escutcheon cpl.	<b>B 960 575 AA</b>	2 Set
3	Sequential therm. cartridge	<b>A 861 123 NU</b>	1 pcs	15	Sealing set for nipple	<b>B 960 574 NU</b>	1 Set
4	Aerator M24x1 with key	<b>A 963 702 AA*</b>	1 Set	16	Fixation kit for Spout	<b>B 960 573 NU</b>	1 Set
5	Cap w. o - ring Ø 30 x 2	<b>A 861 124 AA</b>	1 Set	17	Spout 150mm	<b>B 960 679 AA</b>	1 pcs
6	O - ring Ø 13 x 2	<b>A 861 101 NU</b>	2 pcs		Spout 200mm	<b>B 960 680 AA</b>	1 pcs
7	O - ring Ø 11 x 2	<b>A 960 942 NU</b>	2 pcs		Spout 250mm	<b>B 960 681 AA</b>	1 pcs
8	Side sleeve cpl.	<b>A 861 125 AA</b>	1 Set	* Universal-Set (not all parts needed)			
9	O - Ring Ø 12,42 x 1,78	<b>A 961 332 NU</b>	2 pcs				
10	O - ring Ø 17 x 2	<b>A 961 810 NU</b>	2 pcs				
11	Non-return valve	<b>F 960 942 NU</b>	1 pcs				
12	Strainer (screen)	<b>A 962 595 NU</b>	2 pcs				

**Ceraplus Safe**




# Ceraplus 2 A 6699 .. A 6700 .. A 6701 ..

Ideal Standard

Produced from: April 2021 - Jan 2022

Thermostat with function desinfection with on/off S-connector with spout:



A6699 X=150 Y=125  
 A6700 X=200 Y=140  
 A6701 X=250 Y=154

Pos.	Description	Part-Number	Qty.	Pos.	Description	Part-Number	Qty.
1	Handle cpl. w. Logo ISI	<b>A 861 121 AA</b>	1 Set	13	On/off S-connector	<b>B 960 607 AT</b>	1 pcs
2	Stopring	<b>A 861 122 NU</b>	1 pcs	14	Escutcheon cpl.	<b>B 960 575 AA</b>	2 Set
3	Sequential therm. cartridge	<b>A 861 123 NU</b>	1 pcs	15	Sealing set for nipple	<b>B 960 574 NU</b>	1 Set
4	Aerator M24x1 with key	<b>A 963 702 AA*</b>	1 Set	16	Fixation kit for Spout	<b>B 960 573 NU</b>	1 Set
5	Cap w. o - ring Ø 30 x 2	<b>A 861 124 AA</b>	1 Set	17	Spout 150mm	<b>B 960 679 AA</b>	1 pcs
6	O - ring Ø 13 x 2	<b>A 861 101 NU</b>	2 pcs		Spout 200mm	<b>B 960 680 AA</b>	1 pcs
7	O - ring Ø 11 x 2	<b>A 960 942 NU</b>	2 pcs		Spout 250mm	<b>B 960 681 AA</b>	1 pcs
8	Side sleeve cpl.	<b>A 861 125 AA</b>	1 Set	* Universal-Set (not all parts needed)			
9	O - Ring Ø 12,42 x 1,78	<b>A 961 332 NU</b>	2 pcs				
10	O - ring Ø 17 x 2	<b>A 961 810 NU</b>	2 pcs				
11	Non-return valve	<b>F 960 942 NU</b>	1 pcs				
12	Strainer (screen)	<b>A 962 595 NU</b>	2 pcs				


**Ceraplus 2**

# Ceraplus 2 A 6699 .. A 6700 .. A 6701 ..



Produced from: July 2016 - March 2021

Thermostat with function desinfection with on/off S-connector with spout:



A6699 X=150 Y=125  
 A6700 X=200 Y=140  
 A6701 X=250 Y=154

Pos.	Description	Part-Number	Qty.	Pos.	Description	Part-Number	Qty.
1	Cap for handle w. Logo ISI	<b>A 861 120 AA</b>	1 pcs	23	On/off S-connector	<b>B 960 607 AT</b>	1 pcs
2	Screw M6 x 12	<b>A 961 950 NU</b>	1 pcs	24	Escutcheon	<b>A 960 599 AA</b>	1 pcs
3	Handle cpl. w. Logo ISI	<b>A 861 121 AA</b>	1 Set	25	O-ring Ø 53,5 x 5	<b>A 963 840 NU</b>	1 pcs
4	Stopring	<b>A 861 122 NU</b>	1 pcs	26	Escutcheon inside	<b>A 961 927 AA</b>	1 pcs
5	Sequential therm. cartridge	<b>A 861 123 NU</b>	1 pcs	27	Escutcheon cpl.	<b>B 960 575 AA</b>	2 Set
5b	Repair-Set Cartridge	<b>A 861 166 NU</b>	1 Set	28	Sealing set for nipple	<b>B 960 574 NU</b>	1 Set
6	Body			29	O - ring Ø 17 x 2		
7	Aerator M24x1 with key	<b>A 963 702 AA*</b>	1 Set	30	Sliding ring		
8	Cap w. o - ring Ø 30 x 2	<b>A 861 124 AA</b>	1 Set	31	Roller		
9	Threaded nut M18x1,5			32	O - ring Ø 15 x 2		
10	Sleeve			33	Screw M4 x 10 DIN 84		
11	O - ring Ø 13 x 2	<b>A 861 101 NU</b>	2 pcs	34	Stopper 90°		
12	O - ring Ø 11 x 2	<b>A 960 942 NU</b>	2 pcs	35	Fixation kit for Spout	<b>B 960 573 NU</b>	1 Set
13	Side sleeve cpl.	<b>A 861 125 AA</b>	1 Set	36	Rubber cap	<b>B 960 583 NU</b>	1 pcs
14	Inlet insulator	<b>A 861 126 NU</b>	1 pcs	37	Screw M5x 5,5	<b>A 961 183 NU</b>	1 pcs
15	Coupling nut G3/4 - SW30			38	Screw pin (f. spout locking)	<b>A 963 309 NU</b>	1 pcs
16	O - Ring Ø 12,42 x 1,78	<b>A 961 332 NU</b>	2 pcs	39	Sliding ring		
17	O - ring Ø 17 x 2	<b>A 961 810 NU</b>	2 pcs	40	Spout 150mm	<b>B 960 679 AA</b>	1 pcs
18	Non-return valve	<b>F 960 942 NU</b>	1 pcs		Spout 200mm	<b>B 960 680 AA</b>	1 pcs
19	Flow regulator 5,0 l/min	<b>A 861 127 NU</b>	1 pcs		Spout 250mm	<b>B 960 681 AA</b>	1 pcs
20	Lock ring			41	Knurled head screw M3x30 (included in pos.3)		
21	Seat M20 x 1 left thread cpl.	<b>A 861 128 NU</b>	1 Set	42	Disinfection interlock cpl.	<b>A 861 276 NU</b>	1 Set
22	Strainer ( screen )	<b>A 962 595 NU</b>	2 pcs				

\* Universal-Set (not all parts needed)